TEZIS

Touch...the sky!

OEMKIOSKS
DIGITAL KIOSKS FOR THE WORLD®



Made in Europe

Multimedia Kiosks and Digital Mupis are developed and produced in Portugal.

The success of our company in the international market shows us that we have developed and produce excellent products and we should therefore be proud and confident in the future.

Tezis

Dynamic Advertising

INNOVATIVE
COMMUNICATION PLATFORM

TEZIS model was designed for both indoor or outdoor (with additional cooling systems and protection).

This model can be manufactured in stainless steel (AISI 304/316)or painted steel (available in all RAL colors) using steel plate of 1,5mm to 2,5mm which ensures the stability and rigidity of the all structure.

This Kiosk is designed specialy for multimedia advertising purposes and support large displays (17" to 108").The two sides of the kiosk are designed so that there is a great vesatility.

The area where the PC will be installed has security locks, general switch and is easily detachable, leaving enough space for the installation and access to a minitower PC.

On the side of the monitor are two speakers and the kiosk has 2 independent systems of ventilation, one for the monitor and other for the PC.

TEZIS can be equipped with computers with diferent "performances" (CPU) with hard drives from 100 to 320 GB, 4 Gb Ram Memory, 128mb graphics card expandable to 512, 10/100 mb ethernet, and Windows 7 or 8. This kiosk can also be equipped with computers with other OS like Linux, etc.

Tezis

Dynamic Advertising



Dimensions **Kiosk**

H 2005 W 690
D 140 mm
(for display 46")

Weight
Aprox.**100 kg**
(for display 46")

PROJECTION AND INTERACTIVITY

TEZIS is an excellent platform for the dissemination of multimedia content (advertising, institutional information, entertainment, etc..), and can be used as information point or digital signage purposes.

With interactive integration provides a new way of use, such as access to multimedia content or a more creative and playful interactive applications.

The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for acertain size display. The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).

Tezis

Dynamic Advertising



Incredibly **Modern**

Simple and clean lines give an incredibly modern and slim aspect to the kiosk. This combination with the compact and solid structure, conveys an image of simplicity, style and robustness.

Integrating de 2 displays (1 on each side)

Tezis

Dynamic Advertising

Perfect **Finishes**

Stainless steel AISI304/316 or painted steel (RAL Colors)

RELIABILTY & PERFECTION

PARTTEAM GROUP | OEMKIOSKS selected a set of production lines, mostly with the Quality System Management certification according to ISO 9001:2008

To guarantee the maximum quality and precision of our equipments, our qualified tecnhical team assemblies every component and product in our facilities, and quality tests are performed before delivering to the client. We pride ourselves on producing equipment that most finishing is done by hand, achieving unprecedented accuracy.

The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for acertain size display. The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).

Tezis

Dynamic Advertising

Incredible Brightness

High Contrast Images

TEZIS can use high brightness displays to produce a sunlight readable image which may easily be seen in outdoor applications or in bright indoor environments.

Different external lighting conditions require different brightness levels.

An internal light sensor (optional) measures the ambient light in the area and automatically adjusts the image accordingly.

Available in any RAL color

Tezis

Dynamic Advertising

Presentation of Multimedia Content



Indoor

Outdoor

TEZIS is produced in a fully rugged casing with powerful ventilation system, but is also available with air conditioner and / or heating that ensures optimal operation conditions for all equipment inside the kiosk.

In the Outdoor version, with advanced HVAC system and filters that ensure the protection of electronic components, TEZIS can operate in environments with extreme temperatures (hot and cold) and adverse weather conditions.

The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for acertain size display. The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).

Tezis

Dynamic Advertising

Strength and Simplicity

At all stages of the manufacturing process, from technical design to the packaging, technical staff will comply with procedures and standards set, Which assures the unique quality of the end product...

Tezis

Dynamic Advertising

Interactive Technology

Touch the sky

TEZIS was developed to allow integration of any type of touchscreen technology, thus creating an interactive device for indoor or outdoor.

OEMKIOSKS unique experience in the field of interactive technologies, Allows Them to be integrated in TEZIS effectively and professionally.

In outdoor kiosks, Procap technology may be integrated into TEZIS, Thus Allowing the touch to be Performed on glass surface, giving Stylo extreme security against vandalism.

Multi**touch**

Widest touch technologies can be used, each optimized for different operating characteristics and environments to suit application requirements of customers, like Surface Acoustic Wave (SAW), Capacitive, Infrared, Optical Imaging and Projected Capacitive (ProCap), etc.

TEZIS interactive is available from 17'' to 108'', from single touch to 40 independent touches, and with finger, gloved hand & pointer inputs..

The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for acertain size display.
The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).

Technical
Specifications



Tezis

Distance Comparison and Main Features



General Characteristics

Type

- Indoor
- outdoor

Materials

- Painted Steel
- Stainless Steel (AISI 304/316)
- Glass

Options

- 17" to 108" Displays
- Software Ykiosk
- Glass Protection

(Other options available upon request)

The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for acertain size display. The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).

OEMKIOSKS
DIGITAL KIOSKS FOR THE WORLD®

Tezis

Kiosk Measures

Technical Drawing



The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for acertain size display. The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).

Tezis

Technical data

Configuration

H 2005 **W** 690 **D** 140mm

(for 46" display)

Display 46"

(resolution 1920 x 1080)

100kg

(for 46" display)

Steel plate of 1,5mm/2mm

Integrated speakers

Stainless steel AISI304/316 or painted steel (RAL Colors)

OPTIONAL

- 17" to 108" Displays
- Atom, Dual Core, Core i3 or i5 PC computer
- Windows 7 or 8, Linux, Mac *
- Ykiosk software (secure shell & browser)
- Touch screen (SAW, Infrared, ProCap)
- Wireless - WLAN
- Bluetooth
- Webcam
- integrating two displays (1 on each side)
- Available in any RAL color

Other components can be integrated changing kiosk dimensions: ticket printer, coin validator, bill validator, card readers, antivandalic keyboard, proximity sensor, etc.

* depending on type of touch technology used

OEMKIOSKS
DIGITAL KIOSKS FOR THE WORLD®

CE

This document is provided only for information purposes. The presented information is subject to change without prior notice, given the constant evolution of content.
THE PARTTEAM GROUP is not responsable for any errors or omissions in this document, based on the information it contains, as a result of its publication.

Multimedia **kiosks**

Touch... the sky

OEMKIOSKS
DIGITAL KIOSKS FOR THE WORLD®

oemKIOSKS | Partteam Group Portugal | Rua Nova da Nespereira, Pavihão 10 | 4770 -287 Lagoa - Vila Nova de Famalicão
tel: +351 252 378 589 | +351 252 327 185 | fax: + 351 252 378 591 | Portugal
www.oemkiosks.com | oem@oemkiosks.com

ON.2 O NOVO NORTE PROGRAMA OPERACIONAL REGIONAL DO NORTE
QREN QUADRO DE REFERÊNCIA ESTRATÉGICO NACIONAL PORTUGAL 2007-2013
UNIÃO EUROPEIA Fundo Europeu de Desenvolvimento Regional