


# Zytec

Touch...the sky!





Made in Europe

## **Multimedia Kiosks and Digital Mupis are developed and produced in Portugal.**

The success of our company in the international market shows us that we have developed and produce excellent products and we should therefore be proud and confident in the future.

---

## Minimalist Model

### High Performance

Zytec model was designed for both indoor or outdoor (with additional cooling systems and protection).

This model can be manufactured in stainless steel (AISI 304/316) or painted steel (available in all RAL colors) using steel plate of 1,5mm to 2,5mm which ensures the stability and rigidity of the all structure.

This Kiosk is designed specially for multimedia advertising purposes and support large displays (40" to 103"). The two sides of the kiosk are designed so that there is a great versatility.

The area where the PC will be installed has security locks, general switch and is easily detachable, leaving enough space for the installation and access to a minitower PC.

On the side of the monitor are two speakers and the kiosk has 2 independent systems of ventilation, one for the monitor and other for the PC.

Zytec can be equipped with computers with different "performances" (CPU) with hard drives from 100 to 320 GB, 4 Gb Ram Memory, 128mb graphics card expandable to 512, 10/100 mb ethernet, and Windows 7 or 8. This kiosk can also be equipped with computers with other OS like Linux, etc.



## Dimensions kiosk



H 2100 W 1100  
D 200mm




Weight  
Aprox. 100kg



“ Minimalism is not a tendency nor a fashion trend,  
it is a philosophy.  
Set aside the unnecessary and let yourself be  
seduced by the essential. ”




▮ The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for a certain size display. The final dimension may vary depending on the display model and other components used. The client must request a technical drawing for final validation (measures and specifications).



## Perfect **Finishes**

At all stages of the manufacturing process, from technical design to the packaging, technical staff will comply with procedures and standards set, which assures a unique quality of the final product.



A combination  
of **simplicity**  
and **style ...**



Indoor




Outdoor



You can configurate ZYTEC with 2 displays, one on each face, allowing to create an impressive multimedia device with double-sided and 2 displays.

With this configuration it aquires numerous possibilities like interactivity and advertising on both sides simultaneously.

▮ The dimensions and specifications are given in graphical representation and may not correspond to the reality of the equipment. The dimensions shown are approximate and represent the equipment for ascertain size display. The final dimension may vary depending display model and other components used. The client must request technical drawing for final validation (measures and specifications).



## Incredibly Modern

Minimalist and clean lines give an incredibly modern and slim aspect to the kiosk. This in combination with the compact and solid structure, conveys an image of simplicity, style and robustness.



Available in any RAL color



## Interactive Technology

### Touch the sky

Zytec was developed to allow integration of any type of touchscreen technology, thus creating an interactive device for indoor or outdoor.

OEMKIOSKS unique experience in the field of interactive technologies, allows a perfect integration of touchscreens in Zytec effectively and professionally.

In outdoor kiosks, procap technology may be integrated into Zytec, allowing the touch to be performed on glass surface, giving Zytec extreme security against vandalism.




## Multitouch

Widest touch technologies can be used, each optimized for different operating characteristics and environments to suit application requirements of customers, like Surface Acoustic Wave (SAW), Capacitive, Infrared, Optical Imaging and Projected Capacitive (ProCap), etc.

Zytec interactive is available from 40" to 103", from single touch to 40 independent touches, and with finger, gloved hand & pointer inputs..


---

# Technical Specifications



# Zytec

Distance comparison and main features



## General Characteristics

### Type



Indoor



outdoor

### Materials



Painted Steel



Stainless Steel (AISI 304/316)



Glass

### Options



40" to 103" Displays




Software Ykiosk



Glass Protection

(Other options available upon request)

Technical **Drawing**



## CONFIGURATION



H 2100 W 1100 D 200mm  
(for 55" display)



Display 55"  
(resolution 1920 x 1080)



100kg  
(for 55" display)



Steel plate of 1,5mm/2mm



Integrated speakers



Stainless steel AISI304/316 or  
painted steel (RAL Colors)

## OPTIONAL

 40" to 103" Displays

 Touch screen  
(SAW, Infrared, ProCap)

 integrating two displays  
(1 on each side)

 Atom, Dual Core, Core i3 or i5 PC computer

 Wireless - WLAN

 Available in any ral color

 Windows 7 or 8, Linux, Mac \*

 Bluetooth

Other components can be integrated changing kiosk dimensions: ticket printer, coin validator, bill validator, card readers, antivandalic keyboard, proximity sensor, etc.

 Ykiosk software (secure shell & browser)

 Webcam

\* depending on type of touch technology used

This document is provided only for information purposes. The presented information is subject to change without prior notice, given the constant evolution of content.  
THE PARTTEAM GROUP is not responsible for any errors or omissions in this document, based on the information it contains, as a result of its publication.

# Multimedia **kiosks**

Touch... the sky



oemKIOSKS | Partteam Group Portugal | Rua Nova da Nespereira, Pavilhão 10 | 4770 -287 Lagoa - Vila Nova de Famalicão  
tel: +351 252 378 589 | +351 252 327 185 | fax: + 351 252 378 591 | Portugal  
[www.oemkiosks.com](http://www.oemkiosks.com) | [oem@oemkiosks.com](mailto:oem@oemkiosks.com)